


Commercial Chemical Application Equipment Catalog







# WELCOME

We proudly celebrate **Maruyama's** 126th anniversary as an industry-changing manufacturing company.

Maruyama began as a family business manufacturing fire extinguishers in 1895, Japan. The Uchiyama family then started to manufacture manual sprayers in 1918. With their development of the power sprayer in 1933, Maruyama played an important role in disaster control and prevention. They also contributed to food production in the agricultural industry during the post-depression years.

For over a century, **Maruyama** has become a world leading manufacturer of disaster relief and prevention equipment, creating high quality pressure industrial pumps, sprayers and commercial-grade 2-cycle hand held landscape equipment. **Maruyama US** is now claiming a part of the pest control industry with newly designed, versatile, high-capacity skid sprayers.


**Maruyama** endeavors to meet and exceed life's obstacles with our commercial grade power equipment and sprayers.

MASANOBU OGASHIRA
Chairman

TAKAHARU UCHIYAMA
President

# PISTON PUMPS

MARUYAMA UNIFLOW™ TECHNOLOGY - Mauryama piston pumps utilize our patented, simple UNIFLOW™ design which ensures fluid moves in only one direction throughout the pump without changing its direction. The piston pumps require less horsepower to operate at peak performance. This technology is unsurpassed for efficiency and reduced fuel consumption.



#### 1. DIRECT COUPLING

Easy to mount to engine, reduced space and less components needed to complete the spray unit

#### 2. RESISTANT CRANKCASE

Extremely durable materials for long term performance and corrosion resistance

#### 3. PRESSURE REGULATOR

One knob to control working pressure and flow rates

#### 4. HIGH EFFICIENCY CHROME CYLINDER

High-grade treated stainless steel cylinders for increased resistance to abrasion, chemicals and heat

#### 5. SELF LUBRICATING AND SELF COOLING

The fluid moving through the pump provides lubrication and cooling for the pump





# **DIRECT DRIVE PISTON PUMPS**







|                                   | MSD41 3/4" | MSD41 5/8" | MSD51 3/4" |
|-----------------------------------|------------|------------|------------|
| Cylinders                         | 3          | 3          | 3          |
| Cylinder coating                  | CHROME     | CHROME     | CHROME     |
| Direct drive type                 | GASOLINE   | ELECTRIC   | GASOLINE   |
| Dry weight                        | 11.7 lbs   | 11.7 lbs   | 17.2 lbs   |
| Pressure (psi max.)               | 570        | 570        | 570        |
| Suction volume<br>(gpm @ 3600RPM) | 8 gpm      | 8 gpm      | 10.6 gpm   |
| Maximum RPM                       | 3600       | 3600       | 3600       |
| Required power (approx)           | 3.6 HP     | 3.6 HP     | 5.0 HP     |
| Part number                       | 366537     | 366538     | 366559     |

# **BELT-DRIVEN PUMPS**











|                         | MS332    | MS415    | MS655    | MS755    | MS905    |
|-------------------------|----------|----------|----------|----------|----------|
| Cylinders               | 3        | 3        | 3        | 3        | 3        |
| Cylinder coating        | CERAMIC  | CERAMIC  | CERAMIC  | CERAMIC  | CHROME   |
| Drive type              | BELT     | BELT     | BELT     | BELT     | BELT     |
| Dry weight              | 15.9 lbs | 24.3 lbs | 48.0 lbs | 52.5 lbs | 88.2 lbs |
| Pressure (psi max.)     | 500      | 700      | 700      | 700      | 650      |
| Suction volume (gpm)    | 6.0      | 7.9      | 14.5     | 15.8     | 25.8     |
| Maximum RPM             | 1050     | 1000     | 1000     | 950      | 800      |
| Required power (approx) | 2.6 HP   | 3.5 HP   | 6.0 HP   | 7.0 HP   | 8-13 HP  |
| Part number             | 354182   | 354151   | 354133   | 354155   | 354170   |



# PISTON PUMP / ENGINE COMBOS

#### Versatile as a power sprayer, simple as a re-power kit.

Assembled from components matched for compatibility and superior quality, Maruyama spray piston pump engine combos are unrivaled for performance and extraordinary durability.







| Pump/Engine Combos                              | MSD41TEC-H     | MS332ECH       | MS415ECH       |
|---|----------------|----------------|----------------|
| 4-cycle - Honda-GX 160cc<br>Engine (Approx. Hp) | 5.5            | 5.5            | 5.5            |
| Drive type                                      | DIRECT         | BELT           | BELT           |
| Pump type                                       | Triplex piston | Triplex piston | Triplex piston |
| Cylinder Coating                                | CHROME         | CHROME         | CERAMIC        |
| Spray Volume                                    | 8.0 gpm        | 6.0 gpm        | 7.9 gpm        |
| Max Pressure                                    | 570 psi        | 500 psi        | 700 psi        |
| Dry weight                                      | 71.6 lbs       | 79.3 lbs       | 88.1 lbs       |
| Agitation                                       | liquid bypass  | liquid bypass  | liquid bypass  |
| Part Number                                     | 366545         | 358585         | 358584         |



Each pump combo includes suction hose, strainer assembly and bypass hose





# SKID SPRAYERS



- Choice of THREE chemical tank sizes: 50, 100, & 200 gallon
- Maruyama's Legendary UNIFLOW™ Piston Pump: MSD41 (direct drive) paired with Honda GX160 engine
- Corrosion resistant aluminum frame
- Durable polyethylene tanks
- Stacked "TOPS" only available on 50 and 100 gallon configuration
- Optional electric reel available on all skid sprayers
- Optional 3-roller hose guide available on all manual and electric reels
- 100% Commercial-grade
- · Complete line of optional guns, wands, nozzles and extensions

#### **MSD41 Direct Drive Pump**

Maruyama's UNIFLOW PISTON PUMPS are legendary throughout the world.

(MSD41 pump specs on pg. 5)





# SKID SPRAYERS

#### **■**50 GALLON ALUMINUM FRAME





| Model             | MSD41-50T     | MSD41-50TE    |
|-------------------|---------------|---------------|
| Description       | 50 Gallon TOP | 50 Gallon TOP |
| Frame             | Aluminum      | Aluminum      |
| Dry Weight (lbs.) | 290           | 305           |
| Hose Reel         | Manual        | Electric      |
| Length (inches)   | 42            | 42            |
| Width (inches)    | 27            | 27            |
| Height (inches)   | 37            | 37            |
| Part Number       | 849302        | 849301        |



#### 100 GALLON ALUMINUM FRAME









| Model             | MSD41-100T     | MSD41-100TE    | MSD41-100           | MSD41-100E          |
|-------------------|----------------|----------------|---------------------|---------------------|
| Description       | 100 Gallon TOP | 100 Gallon TOP | 100 Gallon Standard | 100 Gallon Standard |
| Frame             | Aluminum       | Aluminum       | Aluminum            | Aluminum            |
| Dry Weight (lbs.) | 309            | 324            | 362                 | 377                 |
| Hose Reel         | Manual         | Electric       | Manual              | Electric            |
| Length (inches)   | 42             | 42             | 48                  | 48                  |
| Width (inches)    | 27             | 27             | 48                  | 48                  |
| Height (inches)   | 49.5           | 49.5           | 43.5                | 43.5                |
| Part Number       | 849304         | 849305         | 849306              | 849307              |





# 200 GALLON ALUMINUM FRAME





| Model             | MSD41-200           | MSD41-200E          |  |
|-------------------|---------------------|---------------------|--|
| Description       | 200 Gallon Standard | 200 Gallon Standard |  |
| Frame             | Aluminum            | Aluminum            |  |
| Dry Weight (lbs.) | 480                 | 495                 |  |
| Hose Reel         | Manual              | Electric            |  |
| Length (inches)   | 60                  | 60                  |  |
| Width (inches)    | 50                  | 50                  |  |
| Height (inches)   | 43.5                | 43.5                |  |
| Part Number       | 849308              | 849309              |  |





# **Legendary Patented Pump Technology**


Maruyama's patented UNIFLOW™ piston pumps are the best on the market. The positive displacement and extreme-duty engineering make them the most economical to run while still achieving low/high volumetric efficiency and minimal pulsation.


These charts show both the suction volume (gal/min at various rpms) and also the required power (hp - kw) needed at those specific rpms.


Maruyama recommends the Honda-GX series engines to be used with these pumps.


- The unique valve design uses the inertia of the moving fluid to create a smooth and continuous flow that is self-lubricating and self-priming
- Premium materials like stainless-steel cylinders, forged, chrome-moly crankshafts, oversized ball bearings, diecast aluminum crank cases and Viton cylinder packings provide performance, strength and reliability
- Self-cooling and lubricating-reduces chance of contamination


# MIRE FREDRIS













# BACKPACK AND PORTABLE SPRAYERS



#### **Excellent Control, Performance and Results.**

Maruyama portable power sprayers offer the best performance and durability in its class. Maruyama's unique UNIFLOW positive displacement piston pump offers a consistent pressure providing supreme chemical coverage and penetration. The continuous improvement allows us to reach working pressures of up to 356 psi. This allows us to effectively use a second lance and an endless number of specialized spray accessories. Ideal for the application of agrochemicals in agriculture, gardening, farms, greenhouses, open field crops, shrubs, fruit trees, vegetables and pest control applications.





#### BACKPACK SPRAYER





#### **MS75**

#### 30.1 cc / CER300

21.0 lb

20.3 oz

Chem. tank capacity = 6.6 gal Suction volume = 1.9 gpm 4-dial pressure settings = 90, 180, 270, & 356 Liquid bypass agitation

#353028

#### **Optional Cart**

Aluminum, non-caustic finish Lightweight & sturdy Rubber tires





- Maruyama Patented Uniflow™ Technology
- Self-priming, self-lubricating and self-cooling Dual piston pump for increased pressure

#### BARREL TOP SPRAYER

**VERSATILE & COMPACT** 

# **SPOT SPRAYER**

# 30.1 cc / CER300 16.3 lb 20.3 oz



Suction volume = 1.9 gpm 4-dial pressure settings = 90, 180, 270, & 356 Liquid bypass agitation

#353027

Includes: pump, suction and bypass hoses, 20m of hose and a U2L spray gun (#116126)

# MS75E-25 SS



#### 30.1 cc / CER300

36.0 lb

20.3 oz

Compact dimensions: 34"w x 18"d x 26"h

Chem. tank capacity = 25 gal Suction volume = 1.9 gpm 4-dial pressure settings = 90, 180, 270, & 356 Liquid bypass agitation

#849094













# MISTERS AND DUSTER











Pistol Grip on Misters



MM300 Mister Tip DROPLET TEST: SMD= 55-64 microns



**MISTER** 

#### **MM300**



30.1 cc / CER300

15.65 lb

20.3 oz

Chem. tank capacity = 3.43 gal Flow settings = variable

#352799



**MISTER** 



79.2 cc / CER800

25.6 lb

67.0 oz

Chem. tank capacity = 3.43 gal Flow settings = 4

#352873



**DUSTER** 

#### **MD300**



30.1 cc / CER300

19.4 lb

20.3 oz

Flow settings = 27 (3x9)

#352826

#### **Backpack MISTER/BLOWER**

| Atomizer volume (gpm)    | 0 - 0.79 gpm | 0 -1.32 gpm |                |
|--------------------------|--------------|-------------|----------------|
| Duster volume (lb/min)   |              |             | 0-17.64 lb/min |
| Granular volume (lb/min) |              |             | 0-35.27 lb/min |
| Item number              | 352799       | 352873      | 352826         |

#### FOGGER ATTACHMENT **ULTRA LOW VOLUME**

Maruyama's ultra low volume / ULV fogger attachment attaches to the Maruyama MM300 mister for easy, effective insect fogging applications.

- Lightweight Approx. 2.0 lbs
- ON/OFF adjustment valve
- Pistol throttle on lightweight tube
- SUB-25 MICRON Droplets
  - for long hang times

















# **BATTERY SPRAYER**



- RECHARGABLE Lithium-Ion battery (battery covered by Makita warranty)
- Lightweight and extremely durable



# MS40Li

Dry weight = 11.7 lb Tank capacity = 3.9 gal Volume = 0.39 gpm Charging time = 22 minutes Pressure (3 settings) = 145 / 72 / 43 psi Working time = 45 / 120 / 300 min Lithium ION battery = Makita 18V-3.0Ah BL1830 (# 133560)

#353080



**PIVOTING TANK** Better weight distribution of liquid during use



Shown with 1-pt adjustable nozzle #127460 (included)



Shown with black dual wide-nozzle #471938 (included)



Adjustable nozzle #127460 and telescopic nozzle pipe #465077 (optional)












# **Excellent Control, Performance and Results.**

Maruyama battery-powered sprayers offer the best performance and durability in its class. Maruyama's unique UNIFLOW positive displacement piston pump offers a consistent pressure providing supreme chemical coverage and penetration. The continuous improvement of our technology allows us to reach working pressures of up to 145 psi.

We offer specialized spray accessories to customize the application of chemicals. Ideal for the application of agrochemicals in agriculture, gardening, farms, greenhouses, open field crops, shrubs, fruit trees, vegetables, pest control applications, and sanitation.







# TRACTOR MOUNTED BOOM SPRAYERS



Maruyama's tractor sprayers are ideal for small and medium size farms. Ideal for sugar cane, berries, and row produce growth in narrow rows.

- Extreme-duty Maruyama professional boom sprayer which mounts easily to any kind of small tractor\*
- Maruyama's legendary triple piston pumps ensures durable, efficient service
- Adjustable 2-directional nozzles on the booms increase productivity and saves time, so you are not having to change out different types of nozzles in the field between sprays
- \* Tractor not included



2-DIRECTION YAMAHO NOZZLE



2-DIRECTION ISO NOZZLE



|                        | BSM201                   | BSM-301                  | BSM-500                  |
|------------------------|--------------------------|--------------------------|--------------------------|
| Applicable tractor     | 17 - 23 HP               | + 30 HP                  | +34 HP                   |
| Piston pump            | MS331                    | MS331                    | MS655s                   |
| Flow rate              | 7.9 gal/min              | 7.9 gal/min              | 14.0 gal/min             |
| Max pressure           | 435 psi                  | 435 psi                  | 435 psi                  |
| Chemical tank capacity | 52.8 gallons             | 80 gallons               | 140 gallons              |
| Boom length            | 13.8 ft                  | 24.6 ft                  | 33.5 ft                  |
| Nozzle type            | 14 nozzles (2-direction) | 25 nozzles (2-direction) | 34 nozzles (2-direction) |
| Nozzle type            | Yamaho                   | Yamaho                   | Yamaho                   |
| Dry weight             | 253.5 lbs                | 275.5 lbs                | 440.9 lbs                |
| Part number            | 328290                   | 720032                   | 328244                   |





#### MANUAL SPREADER AND DUSTER

# **MG51**



#### MANUAL DUSTER

Dry weight = 6.2 lb Tank cap. = 1.2 gal

Volume (powder) = 0-14.2 oz/min

#338129





Dry weight = 3.7 lb

Tank cap. = 3.0 gal

Volume (granules) = 77.8 oz/min

#338119





#### TRENCHING TOOL

# T300



30.1CC / CER 300 Dry weight = 16 lb Tank cap. = 20.3 oz

| Driveshaft material | solid steel |
|---------------------|-------------|
| Easy Start          | standard    |
| CARB&EPA compliant  | YES         |
| Commercial warranty | 5 yrs       |
| Item number         | 365012      |



Using the T300 trenching tool gives quick access to foundations, etc. for more targeted termite treatments













# SPRAYER ACCESSORIES

#### SPRAY GUNS AND ATTACHMENTS -

FOR PORTABLE AND BACKPACK SPRAYERS



#353028 MS75 + #116126 U2L Gun







Adjustable Nozzle



Wide Nozzle Ass'y (NN-D-5A) #417938



Ring Type 5-Head Nozzle A **#074206** 



2-Nozzle Wand Length 6.7in #417232



3-Nozzle Wand Length 10.6in #639508



#471938 Wide Nozzle Ass'y



#074206 Ring Type 5-Head Nozzle A



#417232 2-Nozzle Wand, Length 17cm

3-Nozzle Wand length 22in #417233

Nozzle Pipe 34.7in **#465062**  Nozzle Pipe 58.3in **#417208**  Telescopic Nozzle Pipe 55 - 95in #465077





#### SPRAY GUNS AND ATTACHMENTS

FOR SKID SPRAYERS







#832505 Top Gun (different spray settings)









#639258 Soil Injector

#417257 High End Nozzle (different spray settings)







4-Nozzle Boom #637153

#### **NOZZLES FOR MD9 GUN**

#842441 #2 Nozzle, 0.8 mm, 0.3-1.0 gpm #842442 #4 Nozzle, 1.5mm, 1.0-3.0 gpm #842443 #5 Nozzle, 2mm, 2.0-5.0 gpm #842444 #8 Nozzle, 3mm, 3.0-8.0 gpm

**#840925** #6 Nozzle (standard),

2.5mm, 3.6 gpm





# BLUE ULTRA-SHIELD

# PROTECTS CLEANS PERFORMS

- The most advanced technology in 2-cycle engine oil
- Superior synthetic blend oil that gives premium protection to internal moving parts reducing maintenance costs
- Formulated with fuel stabilizer
- Cleans engine and protects against carbon particle buildup
- Exceeds JASO-FD quality standards
- Promotes exceptional engine performance and long engine life
- Blue color makes it easy to identify gasoline mix in containers
- · Mixes instantly with gasoline



| PART#  | DESCRIPTION                                     | <b>Bottles per Case</b> | Cases per Pallet |
|--------|---|-------------------------|------------------|
| 849860 | Blue Ultra-Shield - 2.6oz. Bottle (1-gal mix)   | 24                      | 144              |
| 849861 | Blue Ultra-Shield - 6.4oz. Bottle (2.5-gal mix) | 24                      | 128              |
| 849862 | Blue Ultra-Shield - 12.8oz. Bottle (5-gal mix)  | 24                      | 60               |





# COMMERCIAL WARRANTY

5 Year Commercial / Residential warranty on qualified products with the purchase and use of Maruyama Blue Ultra-Shield oil

Lifetime Warranty for solid steel driveshafts and ignition colls on qualified units

5 Year Warranty available only through Authorized Maruyama Dealers

5 Year Warranty excludes Chainsaws, Big-M Pro-Scape products, and any unit used for rental purposes

For more information regarding your products specific Maruyama warranty, please ask your Authorized Maruyama Dealer, visit www.maruyama-us.com/warranty, or consult the warranty card that comes with your product.





#### 5-DAY BUYBACK PROGRAM



The 5-Day Buyback Program is simple! An end user can purchase any qualifying product, use it for five days and if not completely satisfied, return it to the selling dealer for a full refund. Dealers will receive a 15% rebate of dealer's unit cost (as a credit on dealer's acct.) on any returned unit with approved submission of completed 5-Day Buy-Back form and receipt for unit and oil purchased. This is meant to offset the reduced selling price of the used unit. The dealer retains the unit.

The program is only available for hand-held engine-powered units carrying the IRON 5-YR™ Warranty and is available only to registered and authorized Maruyama dealers. A validated purchase of Maruyama Premium 2-cycle Maruyama Blue Ultra-Shield™ or the equivalent is required.

